


PERFECT LITE

for Windows

Lighting Software Package



PROGRAM FEATURES

- ? Directly suitable for all exterior lighting design applications (can also be used for interior situations where inter-reflective components are not required eg. Industrial situations etc.)
- ? Calculates horizontal, vertical and camera illuminance as well as luminance for road lighting applications
- ? Menu driven allowing single key and/or mouse operation
- ? Unique data input feature allowing quick and easy design modifications, as well the program remembers previous data input to reduce key strokes. Buttons used to ditto fields, mirror, duplicate and merge lighting layouts etc.
- ? Luminaires can be aimed by co-ordinate or angular methods
- ? Final design can be archived and then retrieved for review at a later date, intermediate layout files can be viewed and bulk erased
- ? Produces a contour diagram of lighting levels with ability to zoom into small areas of the display
- ? Library of luminaire photometric data is maintained within the program which can be quickly and easily edited, sorted or listed
- ? Photometric data is not restricted to any one manufacturer, providing data is in either the IESNA or CIE/SAASTAN format it can be quickly loaded into the library from disks
- ? High quality scaled output can be produced on the printer for overlays, directed to a disk file and even a XY pen plotter. Printed output can be directed to Network devices as well.
- ? Includes data link/interface with CAD software (via DXF files)
- ? More than 500 pop-up Help screens
- ? 50 page tutorial to guide the user through the major features of the program
- ? Dimensions are all metric based
- ? Full back-up and support in Australia
- ? Includes module for Zebra Crossing design & Upward Waste Light Ratio
- ? Includes standalone Window applications for P Category, V Category, IESNA to CIE/SAASTAN conversion

COMPUTER SYSTEM REQUIREMENTS

- ? IBM or compatible PC running Windows 95, 98, NT, 2000, XP, Vista or Windows 7
- ? Supported on 16bit, 32bit and 64bit operating systems
- ? Hard disk with 6Mb free and CD-ROM drive